

The Effect of Electromagnetic Waves and Workplace Lighting on Job Stress in Employees of Power Distribution Company

AMIN ASGARI¹, ESMAIL SHOJA², SAJJAD BARZEGAR³

¹Instructor of Occupational Health Engineering School of Medical Sciences Khalkhal Faculty of Medical Sciences

²Instructor of Occupational Health Engineering School of Medical Sciences Esfarayen Faculty of Medical Sciences

³Sharif Safety Index Co. Lt, Occupational Health, Safety And Ergonomic Service

Correspondence to Dr. Amin Asghari Email: a.asgari@khalums.ac.ir, Tel: +984532432002

ABSTRACT

Job stress is one of the important factors for productivity in the workplace. Stress can be defined as physical and mental changes when responding to different environmental conditions. Exposure to the physical hazards of the work environment can cause a person's behavioral change also the psychological hazards of the workplace, such as job design, management, and organization can hurt workers. This descriptive cross-sectional study was conducted in August to February 2018 in Northwest Iranian Power Distribution Company. The combination of self-reporting and observation techniques was used to collect data. The result shows that the average job stress is 171.6 ± 17.5 , which represents the "moderate-high" level. There was a significant difference between the mean electric field, role boundary ($P=0.005$), physical environment ($P=0.045$), and magnetic field, role insufficiency ($p=0.001$). The results show the relationship between variables and job stress in a way that there is a direct relationship between work hours and occupational stress and increases with the increase in the hours of work, but the job stress also increases and this is accepted by other studies. In this study, we found the relationship between job stress and occupational exposure to electromagnetic fields and workplace lighting.

Key words: job stress, electromagnetic field, lighting, power distribution

INTRODUCTION

Job stress is one of the important factors for productivity in the workplace¹. Enhance job stress is effective for workers health². Stress can be defined as physical and mental changes when responding to different environmental conditions³. Exposure to the physical hazards of the work environment can cause a person's behavioral change also the psychological hazards of the workplace, such as job design, management, and organization can harm workers⁴. Research indicates the relationship between the properties of the work environment, job satisfaction and occupational stress¹. Based on the studies, occupational stress accounts for 50% -60% of work absenteeism⁵. Research shows that 4% of the work time is lost due to job stress⁶. Workers with lower health status are more vulnerable to higher-health occupational status. Also, high levels of chronic stress can cause acute stress and cardiac arrest⁷. According to studies on the biological effects of electromagnetic fields on the brain and the central nervous system(CNS) is one of the hottest discussions in this field⁸. The electromagnetic field above 35kw/m can cause significant changes in memory and learning ability in mice⁹. Occupational exposure to electromagnetic fields can increase the risk of workers with Alzheimer's^{10,11,12}. Studies show that long-term exposure to electromagnetic waves in the working environment increases the beta-amyloid in the brain and surrounding that chronic contact with the electromagnetic field can be associated with increased stress and cognitive dysfunction in people¹³. Also studies show that the electromagnetic field affects sexual cells and also affect sexual desire^{14,15,16}.

Power Distribution Company is one of the most important companies in providing energy in Iran. Working in long shifts and different working conditions is one of

the most important factors affecting occupational stress. The purpose of this study was to determine the relationship between occupational stress and exposure to electromagnetic fields and workplace lighting.

MATERIALS AND METHODS

This descriptive cross-sectional study was conducted in August to February 2018 in Northwest Iranian Power Distribution Company in three provinces of Kermanshah, Ilam, and Kurdistan. The staff of Northwest Power Distribution Company is about 600 people. Samples size according to the reference [17] for linear regression test and logistic regression test with $\alpha=0.5$ and confidence intervals=95%, with a 20 percent drop, will be 252 people. The random cluster sampling method used to select samples.

Data gathering tools: The combination of self-reporting and observation techniques was used to collect data.

2.1.1 Self-reporting

The Osipow Persian Job Stress Questionnaire, which includes the following two sections, was used. (1)The demographic information section includes age, sex, experience, marital status, wage, type of employment, education level and daily working hours. (2) The Job Stress Questionnaire consists of six sub-scales, role overload, role insufficiency, role ambiguity, role boundary, responsibility, and physical environment. Each subset contains 10 questions that are categorized into 5 Likert scales (1 = never, 2= occasionally, 3 = sometimes, 4=usually, and 5=most of the time). The subscale score of the questionnaire is categorized into 4 levels, including low (10-19), low-moderate (20-29), moderate-high (30-39), and high (40-50)¹⁸. The total score of the Job Stress Questionnaire is classified into 4 levels: low (60-119), low-moderate (120-179), moderate-high(180-239), and

high(240-300)¹⁸.The validity and reliability of this questionnaire were assessed in a study by Sharifian et al¹⁹. and the Cronbach alpha coefficient was calculated to be 0.83.

Measurement data: Local lighting area measurements were made with the EC1 device manufactured by the Hagener Company in Switzerland. The device can measure from 0.1-200,000 lux at a precision of less than 3%. Measurements were made according to BS 667: 2005 standard. Electromagnetic field measurements were performed by the device for measuring the intensity of electromagnetic fields in the ELF range of the HI 3604 model made by ETS Lindgren, USA. Frequency precision of the device: 30Hz - 2000Hz, Electrical field sensitivity: 1V / m - 200kV / m Magnetic field sensitivity: 0.2mG - 20G The ability to store 112 measurement points In accordance with ANSI C95.1.

Data analysis: After collecting the data, the data was transferred to the computer for analysis. SPSS version 21(IBM, Armonk, NY, USA) software was used for analysis. Pearson correlation analysis was used to determine the relationship between quantitative variables such as occupational stress and electromagnetic fields and lighting. Linear regression analysis was used to find out the relationship between factors affecting occupational stress. Also, the significance level in all tests is considered to be 0.05.

RESULT

Table 1 shows the demographic characteristics of the participants in this study. According to Table 2, the average job stress is 171.6±17.5, which represents the "moderate-high "level. One-way ANOVA test and Independent sample t-test were performed between different parameters and indicate that there is no significant difference between the mean of job stress and age variables, work experience, marital status, and education level. But there was a significant difference between the mean of occupational stress and the working hours variable. (P=0.00)

Table 3 shows that the mean electric fields, magnetic fields, and the lighting are respectively 75.3±32.8, 12.09±7.12and 322.9±148.23. One-way ANOVA test between job stress sub-scales shows that

there is no significant difference between the mean of work environment lighting and sub-scales.According to the table, there was a significant difference between the mean electric field, role boundary (P=0.005), physical environment (P=0.045), and magnetic field, role insufficiency (p=0.001), but in other subscales, there was no significant difference between the variables.

Table 1: Demographic characteristics of the employees studied (n =252)

Age(y)	Mean ±SD Min-Max	36.2±5.29 26-62
Work experience(y)	Mean ±SD Min-Max	9.5±5.36 1-32
Working hours(h)	Mean ±SD Min-Max	12±2.3 8-15
sex	Male Female	252(100)
Material status	Single Married	57(22.6) 195(77.4)
Education	Underdiploma/DiploMA B.Sc. M.Sc.	11(4.4) 215(85.3) 26(10.3)

Table 2: Analysis of the relationship between occupational stress and demographic characteristics

	Job stress (Mean±SD)	
	171.6±17.5	
	Mean±SD	p
Age		
26-36	170.7±18.9	0.373
37-47	173.8±16.7	
48-62	169.1±8.1	
Experience		
1-10	171.7±18.3	0.773
11-20	172±17.35	
21-35	167±8.83	
Working hours**		
8-11	165.7±15.6	0.00
12-15	180.4±15.5	
Marital status		
Single	172.5±18.5	0.64
married	171.3±17.2	
Education		
Diploma Upper diploma	175.9±11.8	0.21
B.Sc	170.6±18.3	
M.Sc	177.8±10.6	

**Independent sample t-test, *One-way ANOVA test.

Table 3: Analysis of the relationship between occupational stress and electrical and magnetic field and workplace lighting

	Electric field((Mean±SD)			Magnetic field (Mean±SD)		Workplace lighting (Mean ± SD)	
	75.3±32.8			12.09±7.12		322.9±148.23	
		Mean ± SD	p	Mean ± SD	p	Mean ± SD	p
Role overload*	Low	62.7±50.4	0.45	8.3±6.1	0.1 67	328.09±147	0.512
	Low-moderate	74.8±31.1		12.17±6.7		325.9±146.3	
	Moderate-high	78.54±32.8		12.6±7.9		320.9±157	
	high	77±29.4		13.4±7.1		254.5±94.4	
Role insufficiency *	Low	73.5±45.2	0.27	5.3±5.9	0.0 01	361.2±54.4	0.668
	Low-moderate	73.8±30.8		12.8±6.8		319.6±149	
	Moderate-high	76.1±31.7		11.3±7.08		320.5±156.2	
	high	97±32.8		15.7±8.2		375.1±142.5	
Role ambiguity*	Low	61.3±32.9	0.12 2	12.2±6.6	0.8 53	415.5±273	0.194
	Low-moderate	72.8±35.9		11.4±7.7		319.8±133.4	
	Moderate-high	74.8±29.4		12.3±6.7		321±154.7	

	high	92±45.6		11.8±8.4		330.5±108.6	
Role boundary*	Low	60±26.8	0.005	10.6±7.01	0.37	419.3±250.5	0.284
	Low-moderate	70.8±32.5		11.6±7.13		320.3±144.2	
	Moderate-high	84 ±32		12.8±7.1		319.7±144.8	
	high	---		---		---	
Responsibility*	Low	76.2±31	0.213	8.03±7	0.125	310.18±67.7	0.544
	Low-moderate	71.4±31.4		12.4±6.38		332.6±161.4	
	Moderate-high	80.8±33.24		12.4±7.1		310.2±141.9	
	high	79.4±43.2		10±12.8		313.8±79.8	
Physical environment*	Low	69.9±26.6	0.045	11.8±6.4	0.983	282.9±130.6	0.2
	Low-moderate	71.4±26.5		12.2±6.7		332.8±147.9	
	Moderate-high	83.8±42.9		11.8±8.6		319.1±147.5	
	high	80.8±30.4		12.±7.1		374.5±193.3	

*One-way ANOVA test

DISCUSSION

Studies on the effects of electromagnetic fields and workplace lighting on stress not have been published. However, many studies have been published in symptoms such as headache, fatigue and other health effects^{20,21,22}. The present study is the first study on the effects of electromagnetic and light environmental factors on occupational stress. Work environment lighting affects hormonal function, circulatory rhythm, efficiency, alertness^{23,24,25}. According to the results obtained from the measurement of lighting workstations in the range of 250-450 lux and it is suitable for this job so there isn't a relationship between lighting and stress. the results show the relationship between variables and job stress in a way that there is a direct relationship between work hours and occupational stress and increases with the increase in the hours of work, but the job stress also increases and this is accepted by other studies²⁶. The number of accidents and injuries is related to the number of work hours and increases with an increase in the working hours of accidents and injuries²⁷. The results of this study indicate the relationship between the psychological factors of the work environment, such as Role boundary, Physical environment and the electrical fields of the workplace. These results are consistent with another study²⁸.

CONCLUSIONS

In this study, we found the relationship between job stress and occupational exposure to electromagnetic fields and workplace lighting. We found an association between occupational stress and environmental factors. Meanwhile, there was a significant relationship between magnetic and electrical fields and occupational stress. This study studied real exposure to human beings. Although the displacement of participants was subject to design constraints, it is suggested that future human exposure to different transmission lines be considered.

Acknowledgements: We would like to thank west power distribution company for her great help with data collection.

REFERENCE

- Hoboubi, N., et al., *The Impact of Job Stress and Job Satisfaction on Workforce Productivity in an Iranian Petrochemical Industry*. Safety and Health at Work, 2017. **8**(1): p. 67-71.

- Calogiuri, G., et al., *Green exercise as a workplace intervention to reduce job stress. Results from a pilot study*. Work, 2016. **53**(1): p. 99-111.
- Colligan, T.W. and E.M. Higgins, *Workplace stress: Etiology and consequences*. Journal of workplace behavioral health, 2006. **21**(2): p. 89-97.
- Cox, T. and E. Rial-Gonzalez, *Work-related stress: the European picture*. Working on stress. Magazine of the European Agency for Safety and Health at Work, 2002. **5**: p. 4-6.
- Golubic, R., et al., *Work-related stress, education and work ability among hospital nurses*. Journal of advanced nursing, 2009. **65**(10): p. 2056-2066.
- Zare, R., A. Choobineh, and S. Keshavarzi, *Association of Amplitude and Stability of Circadian Rhythm, Sleep Quality, and Occupational Stress with Sickness Absence among a Gas Company Employees—A Cross-Sectional Study from Iran*. Safety and Health at Work, 2017. **8**(3): p. 276-281.
- Hirokawa, K., et al., *Occupational status and job stress in relation to cardiovascular stress reactivity in Japanese workers*. Preventive Medicine Reports, 2016. **4**: p. 61-67.
- Jiang, D.-P., et al., *Long-term electromagnetic pulse exposure induces Abeta deposition and cognitive dysfunction through oxidative stress and overexpression of APP and BACE1*. Brain Research, 2016. **1642**: p. 10-19.
- Di, G., et al., *A comparative study on influences of static electric field and power frequency electric field on cognition in mice*. Environmental Toxicology and Pharmacology, 2019. **66**: p. 91-95.
- Pedersen, C., et al., *Occupational exposure to extremely low-frequency magnetic fields and risk for central nervous system disease: an update of a Danish cohort study among utility workers*. International archives of occupational and environmental health, 2017. **90**(7): p. 619-628.
- Jalilian, H., et al., *Occupational exposure to extremely low-frequency magnetic fields and risk of Alzheimer disease: A systematic review and meta-analysis*. Neurotoxicology, 2018. **69**: p. 242-252.
- Gunnarsson, L.-G. and L. Bodin, *Parkinson's disease and occupational exposures: a systematic literature review and meta-analyses*. Scandinavian journal of work, environment & health, 2017. **43**(3): p. 197-209.
- Davanipour, Z., et al., *Severe Cognitive Dysfunction and Occupational Extremely Low-Frequency Magnetic Field Exposure among Elderly Mexican Americans*. British journal of medicine and medical research, 2014. **4**(8): p. 1641-1662.
- Li, J.-h., et al., *Influence of electromagnetic pulse on the offspring sex ratio of male BALB/c mice*. Environmental Toxicology and Pharmacology, 2017. **54**: p. 155-161.
- Bahaodini, A., et al., *Low-frequency electromagnetic fields long-term exposure effects on testicular histology, sperm*

- quality and testosterone levels of male rats. *Asian Pacific Journal of Reproduction*, 2015. **4**(3): p. 195-200.
16. Adams, J.A., et al., *Effect of mobile telephones on sperm quality: A systematic review and meta-analysis*. *Environment International*, 2014. **70**: p. 106-112.
 17. Hsieh, F.Y., Block, D.A., and Larsen, M.D. 1998., *A Simple Method of Sample Size Calculation for Linear and Logistic Regression*, *Statistics in Medicine*. Vol. 17. 1998.
 18. Malek, M., S. Mohammadi, and M. Attarchi, *Occupational stress and influencing factors, in medical residents of one of the educational hospitals of Tehran University of Medical Sciences*. *Razi Journal of Medical Sciences*, 2011. **18**(87): p. 24-35.
 19. Sharifian, S., et al., *The evaluation of the degree of occupational stress and factors influencing it in forensic physicians working in legal medicine organization in Tehran-autumn of 2005*. 2006.
 20. Batistatou, E., et al., *Personal exposure to static and time-varying magnetic fields during MRI procedures in clinical practice in the UK*. *Occup Environ Med*, 2016. **73**(11): p. 779-786.
 21. Bongers, S., P. Slottje, and H. Kromhout, *Development of hypertension after long-term exposure to static magnetic fields among workers from a magnetic resonance imaging device manufacturing facility*. *Environmental research*, 2018. **164**: p. 565-573.
 22. Shigemitsu, T. and S. Ueno. *Biological and health effects of electromagnetic fields related to the operation of MRI/TMS. in Spin*. 2017. World Scientific.
 23. Rioux, L. and A. Pignault, *Workplace attachment, workspace appropriation, and job satisfaction*. *Psychology*, 2013. **4**(1): p. 39-65.
 24. Tähkämö, L., T. Partonen, and A.-K. Pesonen, *Systematic review of light exposure impact on human circadian rhythm*. *Chronobiology International*, 2019. **36**(2): p. 151-170.
 25. Pachito, D.V., et al., *Workplace lighting for improving alertness and mood in daytime workers*. *Cochrane Database of Systematic Reviews*, 2018(3).
 26. Sparks, K., et al., *The effects of hours of work on health: a meta-analytic review*. *Journal of occupational and organizational psychology*, 1997. **70**(4): p. 391-408.
 27. Dembe, A.E., et al., *The impact of overtime and long work hours on occupational injuries and illnesses: new evidence from the United States*. *Occupational and environmental medicine*, 2005. **62**(9): p. 588-597.
 28. Stenberg, B., et al., *The psychosocial work environment and skin symptoms among visual display terminal workers: a case referent study*. *International Journal of Epidemiology*, 1997. **26**(6): p. 1250-1257.